



[_ \(http://newstest.sbccsail.org/dada/mail.cgi\)](http://newstest.sbccsail.org/dada/mail.cgi)

Install Pro Dada

A current Pro Dada configuration was discovered at:

`/home/sbccsail/newstest/.dada_files/.configs/.dada_config`

View this `.dada_config` Configuration...

- Values from your previous configuration have been pre-filled below. Additional configuration changes you may have made to your `.dada_config` file manually will need to be recreated manually as well after this upgrade.

Configuration

Pro Dada URL [?]

Pro Dada Program URL

`https://newstest.sbccsail.org/dada/mail.cgi`

Support Files Directory [?]

Server Absolute Path to the Pro Dada Support Files Directory

`/home/sbccsail/newstest`

`/dada_mail_support_files`

Corresponding URL to the Support Files Directory

`https://newstest.sbccsail.org`

`/dada_mail_support_files`

Pro Dada Root Password [?]☒ **Use Previous Dada Root Password****Backend [?]****Type**

MySQL (recommended)

Server

localhost

Database

sbccsail_dm2

Port

3306

Username

sbccsail_dm2

Password

sail4ever51

[Test SQL Connection](#)[Show/Hide Advanced Options...](#)

[Learn More About Advanced Options... \(http://dadamailproject.com/d/install_dada_mail-advanced_configuration.pod.html\)](http://dadamailproject.com/d/install_dada_mail-advanced_configuration.pod.html)

Plugins/Extensions [?]

- ☒ **Change the Program Root Password**
- ☒ **Screen Cache**
- ☒ **View Logs**
- ☒ **Tracker**
- ☒ **Bounce Handler**

Bounce Handler Email Address**Mail Server****Username****Password****Connect via**☒ **POP3**☐ **IMAP****Port**

[+/- Additional Configuration Options](#)

Test Bounce Handler Connection

- ☒ **Bridge**

Messages to Check at Once

WYSIWYG Editors (Optional) [?]

☒ Install and Configure WYSIWYG Editors

☒ Install CKeditor

☒ Install Tiny MCE

File Browsers/Uploaders

☒ Install Rich FileManager (default, requires PHP v5.6.4)

☐ Install KCFinder

☐ Install Core Five FileManager

Advanced Configuration

☒ Configure Handling Personally Identifiable Information (PII)

- ☒ Allow email addresses to be logged for tracking/analytical purposes
- ☒ Log complete IP addresses
- ☐ Log anonymized IP addresses

☒ Configure Scheduled Jobs

Scheduled Jobs Flavor

- ☐ Log Job Output
- ☐ Run Periodically After App Execution

☐ Configure Deployment Options (EXPERIMENTAL)

- ☐ Configure Perl Environment
- ☐ Configure Profiles
- ☐ Configure Caching
- ☐ Configure Email Parsing Engine
- ☐ Configure Debugging
- ☐ Configure Global Template Options
- ☐ Configure Security Options
- ☐ Configure Google Maps
- ☐ Configure CAPTCHA Options
- ☐ Configure Global Mailing List Options
- ☒ Configure Global Mass Mailing Options

Mass Mailings at Once Limit

Mass Mailings Stale After

Configure Pro Dada